



## OpenAir damper actuators – New family members in the lower torque range



## A damper actuator is really good if one can easily order it, easily install it and then easily forget it.

Superior engineering ensures that the new 2 Nm actuators operate in a small space with the same excellent features as all OpenAir™ damper actuators: High quality gear trains deliver precise torque control right out of the box, no running in required; 100% factory-testing of the actuator's electrical and mechanical functions translate to high reliability and worry-free operation; ease of ordering and on time delivery contribute to the good customer experience enjoyed when using OpenAir damper actuators.

Every technical detail of these OpenAir damper actuators has been optimally matched to the requirements of commercial buildings: Reliable and precise operation, small footprint for tight fitting spaces, easy and error-free installation.

- With or without spring return
- Operating on DC and AC, for any type of application
- Operate reliably between -32 °C and 55 °C, from cellar to loft
- Compact design, perfect for installation in false ceilings

- Short running time, quiet damper operation
- Complies with all relevant international safety standards
- Control: On/off (2-position)
- Control: 3-position
- Control: Modulating DC 0...10 V

Non-spring return		AC 24 V	DC 24 V	AC 230 V	Cable 0.9 m	On/off (1-wire)	
GSD 2 Nm	2-pos.	■	■		■	■	GSD121.1A
				■	■	■	GSD321.1A

Spring return		AC 24 V	DC 24 V	AC 230 V	Cable 0.9 m	On/off (1-wire)	
GQD 2 Nm	2-pos.	■	■		■		GQD121.1A
				■	■		GQD321.1A
	3-pos.	■	■		■		GQD131.1A
	DC 0...10 V	■	■		■		GQD161.1A

Selecting the right OpenAir damper actuator is very easy. If your requirements are more complex, please contact us. We will be pleased to share our global expertise with you – proven experience with millions of damper actuators installed worldwide.



Not just a small footprint and torque to match light load applications, but engineered for easy installation. Why? Because ease of installation saves time and prevents mounting errors. Yet another reason why you get more for your money with OpenAir damper actuators.

### Highlights

- Very compact housing, yet powerful
- With or without spring return
- Straightforward installation
- Extremely reliable
- Suited for very confined spaces

Siemens Switzerland Ltd  
Building Technologies Group  
International Headquarters  
Gubelstrasse 22  
CH-6301 Zug  
Tel +41 41 724 24 24  
Fax +41 41 724 35 22

Siemens  
Building Technologies Ltd  
Hawthorne Road  
Staines  
Middlesex TW18 3AY  
United Kingdom  
Tel +44 1784 46 16 16  
Fax +44 1784 46 46 46

Siemens Ltd  
Building Technologies  
Units 1006-10  
10/F, China Resources Building  
26 Harbour Road  
HK-Wanchai  
Tel +852 2870 7888  
Fax +852 2870 7880

The information in this document contains general descriptions of technical options available, which do not always have to be present in individual cases. The required features should therefore be specified in each individual case at the time of closing the contract.

Subject to change • Order no. Z-A01620601EN •  
© Siemens Switzerland Ltd • Printed in Switzerland •  
10709 Ni/Ah