



## Traditional Daily Timeswitch

## RWB30E

### Features

---

- LED "ON" Lamps
- Advance and + 1 hour boost facility
- 2 ON/OFFS per day
- Ideal for combi boilers
- All day option
- Override facility
- Industry standard backplate

### Use

---


The Siemens RWB30E is a combined mechanical and microprocessor based product designed to provide better control of a combination boiler or single zone application.

The RWB30E offers a choice of two ON/OFF periods per day and the ability to programme past midnight i.e., the last OFF can be almost 24 hours after the first ON.

## Application Examples

---

### Combi Boiler





### Key

- 1 Combi Boiler
- 2 Timeswitch RWB
- 3 Room thermostat RAA
- 4 Heating circuit

## Wiring Diagrams

---



## Technical Data

---

Operating Voltage	AC 220-240 V
Switching Voltage	12-250 V
Frequency	50 Hz
Contact Rating	
- resistive	6 Amp
- inductive	2 Amp
Ambient temperature range	0°C to 40°C
Environmental humidity	80% RH
Housing ABS resistant to fire	as IEC 730 standard
Dimensions	145mm wide x 90mm high x 50mm deep

Siemens Building Technologies  
 Hawthorne Road  
 Staines  
 Middlesex  
 TW18 3AY

Technical helpline 0870 850 0184

